



KVM-0831 19" KVM-Switch 8-Port USB/PS2 Combo desk

Product Images



Short Description

1. Minimize the cable skew using 8-level adjustable equalization knob
2. Transmission Distance of up to 60m for 1080i or 40m for 1080p
3. Supports video resolutions up to 1920 x 1440
4. Provides auto-scanning features

Description

The LevelOne KVM-0831 8-port combo KVM switch enables users to control and manage a server farm or computers connected to the KVM switch with either the local console or remote console port. Local Console The KVM-0831 Combo KVM Switch is easy to connect to a PS/2 or USB enabled keyboard and mouse with a VGA monitor through the local console port. This enables a user to control systems connected to the KVM switch directly. Remote Console In order to make use of the remote control feature, the KVM-0831 provides users with a greater variety of connectivity options through its expansion slot for optional modules. LevelOne has available an optional Cat.5 Console Module for this purpose. The ACC-1000 Cat.5 Console Module allows for the transmission of a Cat.5 signal to from the controlling unit to units or computers connected to via Cat.5 cabling to the KVM-0831. The ACC-1000 Cat.5 Module converts the Cat.5 signal into a computer signal to give users the ability to control servers and PCs from a remote location up to 300 meters away. Large System Management By making use of a Daisy chain, up to 120 computers can be connected to the KVM switch by cascading 8 KVM-0830/0831/0841/1630/1631/1641 together. This gives network administrator the ability to control larger groups of servers or systems from one console without the need to switching between different console stations. The friendly user interface makes management of the KVM switch and systems connected to it, easy manageable. It also has security measures in place to protect systems from unauthorized access.

Additional Information

Management	OSD
Max. operating humidity (%)	95
Max. operating temperature (°C)	50
Indicators	8 LEDs
Resolution	1920 x 1440
QIG language	DE, EN, ES, FR, IT, PT
Manual languages	EN
General features	Cascade Control PC numbers: 120 Applicable to computers support PS/2 or USB keyboard and mouse Hot plug and Play Hotkey Control Scan interval: 5-99 seconds 19" industry-standard, 1U
Product weight (kg)	2
Product breadth (mm)	160
Product depth (mm)	45
Product height (mm)	45
Color	Black
EAN	4015867138076
Model number	KVM-0831
Package contents	KVM-0831 Netzadapter 19" Einbaurahmen GummifüÙe Bedienungsanleitung
Display Type	VGA

